

Valton[™] Two-piece elongated dual-flush chair height toilet 402319

Features

- Two-piece design
- Elongated bowl offers added room and comfort
- Comfort Height[™] feature offers chair-height seating that makes sitting down and standing up easier for most adults
- Top-mount dual-flush actuator offers a choice of 1.0 or 1.28 gpf (3.8 or 4.8 lpf)
- 2" (51 mm) fully glazed trapway

Technology

- Dual-flush technology allows you to choose between a full or partial flush
- Pro Force[™] Plus flushing technology delivers greater flushing power than previous Pro Force[™] models

Installation

- Standard 12" (305 mm) rough-in
- Three-bolt quick-connect installation
- Seat and supply line sold separately

Recommended Products/Accessories

K-20110 Brevia[™] Quiet-Close[™] elongated toilet seat K-5420 Low-Profile Bolt Caps K-23726 Drain treatment K-186 Dual Flush Actuator

Included Components

403379 Elongated chair height toilet bowl 404553 Toilet tank







Codes/Standards

ASME A112.19.2/CSA B45.1 ASME A112.19.14 DOE - Energy Policy Act 1992 EPA WaterSense™ California Energy Commission (CEC) ADA ICC/ANSI A117.1 CSA B651 OBC

STERLING® Toilet Limited Warranty

See website for detailed warranty information.

Available Colors/Finishes

Color tiles intended for reference only.


Color Code Description

0 White

Valton™



Two-piece elongated dual-flush chair height toilet 402319



Technical Information

All product dimensions are nominal.

Toilet type:	Floor-mount	
Waste Outlet:	Floor	
Bowl shape:	Elongated	
Flush type:	Gravity siphon jet	
Trap passageway:	2" (51 mm)	
Rim to water surface:	5" (127 mm)	
Rough-in:	12" (305 mm)	
Fixture Cumply Dequiremente		

Fixture Supply Requirements

Min static pressure:	15 psi (103.4 kPa)
Max static pressure:	80 psi (551.6 kPa)

Notes

Install this product according to the installation instructions.

For back-to-back toilet installations: Use only a 45° double wye fitting.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.

Accessibility standards may require controls to be located on the open side of the toilet.